

53883-345

1/28/2014

117



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., NW
Washington, D.C. 20460

EPA Registration
Number:
53883-345

Date of Issuance:

JAN 28 2014

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance: **Conditional**

Name of Pesticide Product:
Martin's Dollarweed Killer

Name and Address of Registrant (include ZIP Code):
Control Solutions, Inc. c/o Biologic Consulting, Inc.
5905 Genoa-Red Bluff 115 Obtuse Hill Road
Pasadena, TX 77507-1041 Brookfield, CT 06804

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is registered in accordance with FIFRA §3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/registration review of your product when the Agency requires all registrants of similar products to submit data. Metsulfuron methyl data requirements are outlined in GDCL-122010-1306 under docket ID EPA-HQ-OPP-2011-0375 at www.regulations.gov.
2. Submit Storage Stability (Guideline 830.6317) and Corrosion Characteristics (Guideline 830.6320) studies within eighteen (18) months from the date of this notice.

The basic confidential statement of formula (CSF) dated September 27, 2013 and the alternate CSF dated November 12, 2013 are acceptable.

A stamped copy of the label is enclosed for your records. Submit one (1) copy of the final printed label before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions.

If you have any questions regarding this Notice, please Mindy Ondish at (703)605-0723 or at ondish.mindy@epa.gov.

Signature of Approving Official:

Kable Bo Davis
Product Manager 25
Herbicide Branch
Registration Division (7505P)

Date:

JAN 28 2014

2/7



Dollarweed Killer

[alt. brand name: Top Shot]

[Liquid [MSM] Herbicide]
[Flowable [MSM] Herbicide]

ACCEPTED
JAN 28 2014
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 53883-345

FOR RESIDENTIAL USE ON LAWNS

ACTIVE INGREDIENT:

Metsulfuron methyl: Methyl 2-[[[(4-methoxy-6-methyl-1,3,5-triazin-2yl)amino]carbonyl]amino]sulfonyl]benzoate

25.0%

OTHER INGREDIENTS:

75.0%

TOTAL:

100.0%

This product contains 2.15 pounds of metsulfuron-methyl per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15- 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

"Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this product, contact the National Pesticide Information Center, 1-800-858-7378, Monday-Friday, 7:30 AM-3:30 PM PST. You may also contact the National Poison Control Center, 1-800-222-1222, day or night, for emergency medical treatment information or SafetyCall® at (866) 897-8050. **FOR CHEMICAL EMERGENCY:** Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300."

[REFER TO INSIDE OF BOOKLET FOR PRECAUTIONARY STATEMENTS, STORAGE AND DISPOSAL, AND USE DIRECTIONS.]

EPA Reg. No. 53883-345

EPA Est. No. XXXXX-XX-XXX

Manufactured for:
Control Solutions, Inc.
5903 Genoa-Red Bluff
Pasadena, TX 77507

Net Weight: 0.12 fl. oz. (2 x 0.06 fl. oz.) [2 x 1.8 mL]

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run-off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions:

- Do not allow children or pets to contact treated areas until sprays have dried.
- Do not use on vegetable gardens.
- Do not apply where roots of desirable trees may extend into the treated zone.
- Do not over saturate the lawn. Oversaturation can cause burn-spots on the lawn.


WHERE TO USE

MARTIN'S DOLLARWEED KILLER [alt. BRAND NAME] is for use only on Kentucky Bluegrass, Fine Fescue, Bermudagrass, Centipede grass, Zoysiagrass (Meyers and Emerald) and St. Augustinegrass turf areas.


HOW TO APPLY

Determine the area of lawn you want to treat by measuring the width and length in feet. Multiply the width by the length to determine the area in square feet. Examples are shown in the table and diagram below.

LAWN SIZE	=	WIDTH	X	LENGTH
2,500 sq. ft.	=	50 feet	X	50 feet
5,000 sq. ft.	=	100 feet	X	50 feet



For areas less than 2,500 square feet, only one blister pack (0.06 fl. oz.) [1.8 ml] is needed. For areas greater than 2,500 square feet, two blister packs (0.12 fl. oz.) [3.6 ml] will be needed for proper treatment.



- 1) Break tab at top by bending along perforated line.
- 2) Take caution not to squeeze tube until positioned over mixing container.

Ready-To-Use Hose-end Sprayer

The Ready-To-Use Sprayer is pre-set to dispense 0.12 fl. oz. [3.6 ml] of **MARTIN'S DOLLARWEED KILLER** [alt. BRAND NAME] on 5,000 square feet of turf. To get proper coverage, dispense only enough through the Ready-To-Use sprayer to wet the top of the turf. Do not over-saturate, or attempt to water the roots of the weeds. Simply wet the top of the turf, and let **MARTIN'S DOLLARWEED KILLER** [alt. BRAND NAME] do the work.

There are 3 settings on the control knob: Off, MIX (On) or Water only.

Mixing Instructions:

1. Attach the nozzle apparatus and jar to the end of a hose.
2. Remove the jar from the nozzle apparatus.
3. Based on the size of the treatment area, squeeze the entire contents of either one, or both blister packs, into the jar.
4. Fill the jar with water.
5. Put the jar back on the nozzle apparatus and ensure that the nozzle is in the "OFF" position.
6. Shake the jar well before spraying to ensure that the contents are well mixed.
7. When applying, simply wet the top of the turf, and let **MARTIN'S DOLLARWEED KILLER** [alt. BRAND NAME] do the work.

Pump-Up Pressure Sprayer

If you have determined that the area for treatment is less than 2,500 square feet, you may want to use a pump-up pressure sprayer. The pump-up sprayer must have a 3 gallon capacity. Follow the directions below.

Mixing Instructions:

1. Remove the top of the pump-up sprayer to allow filling.
2. Squeeze the entire contents of one blister pack (0.06 fl. oz.) [1.8 ml] into the sprayer container.
3. Fill the sprayer with 2.5 gallons of water.
4. Attach the top of the pump-up sprayer to contain the contents.
5. Shake well before spraying.
6. When applying, simply wet the top of the turf, and let **MARTIN'S DOLLARWEED KILLER** [alt. BRAND NAME] do the work.

MARTIN'S DOLLARWEED KILLER [alt. BRAND NAME] controls the following perennial and annual weedy grasses:

Bahiagrass

Foxtail

Ryegrass

MARTIN'S DOLLARWEED KILLER [alt. BRAND NAME] controls the following broadleaf (dicot) weeds:

Annual Sowthistle
 Aster
 Bittercress
 Blue Mustard
 Buckhorn
 Bur Buttercup
 Canada Thistle
 Carolina Geranium
 Chicory
 Clover (white)
 Common Chickweed
 Common Groundsel
 Common Mullein
 Common Purslane
 Common Sunflower
 Common Yarrow
 Conical Catchfly
 Cow Cockle

Crown Vetch
 Curly Dock
 Dandelion
 Dog Fennel
 Dollarweed
 False Chamomile
 Fiddleneck Tarweed
 Field Pennycress
 Flixweed
 Florida Pusley
 Goldenrod
 Henbit
 Hoary Cress (whitetop)
 Kochia
 Lambsquarters
 Miners Lettuce
 Pennsylvania Smartweed
 Plantain
 Prickly Lettuce
 Prostrate Knotweed

Redroot Pigweed
 Redstem Filaree
 Shepherdspurse
 Smallseed Flaxweed
 Smooth Pigweed
 Spurge (prostrate)
 Sweet Clover
 Tansy Mustard
 Treacle Mustard
 Tumble Mustard
 Virginia Buttonweed
 Wild Carrot
 Wild Celery
 Wild Garlic
 Wild Lettuce
 Wild Mustard
 Wild Onion
 Wood Sorrel (oxalis)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in original container only. Store in cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Completely empty blister pack into application equipment. If recycling option is not available, discard in the trash or call your local solid waste agency or [insert toll free number or web site] for disposal instructions.

LIMITATION OF WARRANTY AND LIABILITY

Read the entire direction for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following **CONDITIONS, DISCLAIMER OF WARRANTIES, and LIMITATIONS OF LIABILITY.**

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risk associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Control Solutions, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Control Solutions, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Control Solutions, Inc. disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc election, the replacement of product.

[OPTIONAL MARKETING STATEMENTS

- [Kills], [Controls], [Eradicates], [Treats] weeds from entire lawn [unlike spot treatment sprays].
- [Summer] weed control for broadleaf weeds
- Kills dollarweed, dandelions, [and] clover [and over 50 other lawn weeds]
- Treats up to 5,000 sq. ft.
- 1 vial treats 2,500 square feet
- [For use on] Kentucky Bluegrass, Fine Fescue, Bermudagrass, Centipede grass, Zoysiagrass (Meyers and Emerald) and St. Augustine
- [For use] [Easy application] with hose end sprayer or pump up sprayer
- [Dual Action] Works through the leaves and roots of the weeds [leaving your lawn unharmed]
- Selective herbicide targets only weeds in your lawn
- Will not harm your lawn when used as directed
- Kills weeds, not St. Augustine/bermudagrass lawns [Southern lawns]
- [Corrects] [Controls] most lawn weed problems
- Apply in the spring, summer or fall, any time weeds are actively growing.]